



P.O. Box 309 • 7360 State Route 45 • Lisbon, Ohio 44432 • (330) 424-0272
FAX (330) 424-1733

July 20, 2017

To: Registered Septic Installers
From: Lori Barnes, Environmental Director


The Ohio Environmental Protection Agency's Water Pollution Control Loan Fund has awarded Columbiana County \$300,000 in Financial Assistance for the Repair/Replacement of Failing Household Sewage Treatment Systems. These loans will receive principal forgiveness subsidies that do not require repayment. This program will pay 50%, 85% or 100% of the cost of a septic system with the homeowner responsible for 50%, 15% or 0%.

The Columbiana County Health Department is seeking bids for 3 projects. All pre-bid paperwork can be found on our website at <http://www.columbiana-health.org> or at the health department for \$10.

Pre-site evaluations have already been performed. All plumbing containing sewage (ie. Laundry, sinks etc) shall discharge to the sewage system which may require additional plumbing permits and work being performed by licensed plumbers. Site visits by contractors are required prior to bidding.

The deadline for submittal of bids is August 15th, 2017 by 4:00pm.

If you have any questions, please contact me at (330) 424-0272x111



Date: March 1, 2017

To: Registered Septic Installers

From: Lori Barnes, Environmental Director

According to Ohio Administrative Code, section 3701-29-12 (P):

Building Sewers shall comply with the following:

- (1) The elevation of a building sewer shall be aligned to accommodate the plan elevations of the subsequent STS components at a uniform grade of not less than one per cent or one eighth of an inch per foot. Designs should avoid sewer line slopes greater than ten percent. The sewer line shall be properly bedded in in situ soil or coarse aggregate that minimizes settling.
- (2) The building sewer shall be watertight, have a minimum diameter of four inches, be Schedule 40 or SDR 21 or greater, and be constructed of durable material conforming to ASTM D2661 or ASTM D1527 for ABS plastic pipe or ASTM D1785, ASTM D2729, or ASTM D2665 for PVC plastic pipe. Pipe, fittings, and joining material shall be chemically and physically compatible and insure water tightness; and
- (3) No pipe elbows greater than 45 degrees are permitted.

With that being said, all building sewers shall meet the requirements above and be replaced within 30 inches of the building foundation if not in compliance unless a hardship prevails which may be considered under variance provisions.

If you have any questions or concerns, please contact me at this office.

Sincerely,

A handwritten signature in black ink, appearing to read "Lori Barnes", is written over a horizontal line.

Lori J. Barnes, RS
Columbiana County Health Department

WPCLF FY 2017-18 July 19, 2017

Bid Group	Address	Street	Township	Contractor Bid	System Type	CHIP	Funding	Homeown	Paid
3	7855	St Jacobs Logtown	Center		NPDES		100%	0%	
	39640	SR 517	Center		NPDES		85%	15%	
	6679	SR 7	Elkrun		NPDES		85%	15%	
4	1881	Hunt Road	Perry		Test Holes		85%	15%	
	49140	Pancake Clarkson	Middleton		Test Holes		100%	0%	
	14767	SR 164	Wayne		Test Holes		100%	0%	
	48131	Moore Road	St Clair		Test Holes		100%	0%	
	1925	Woodbine	ELCity		Test Holes		100%	0%	0
	1821	Lacroft	Liverpool		Test Holes		100%	0%	
	20658	Steubenville Pike	Yellow Crk		Test Holes		100%	0%	
	4721	Signal Road	Fairfield		Test holes		100%	0%	
	3178	Fairfield School	Fairfield		Test holes		85%	15%	
	45436	SR 558	Fairfield		Test Holes		100%	0%	
	49306	McClure Road	Unity		Test Holes		85%	15%	
	36911	Old SR 558	Salem		Test Holes		100%	0%	
5	46300	Wyoming Ave	St Clair		Sanitary Sewer		100%	0%	0
	16109	State Rout 267	St Clair		Sanitary Sewer		100%	0%	